DATASHEET - IZMX-CAS404-4000-SEC-1



Cassette 4000A, IZMX404 m. control cable connection

Powering Business Worldwide*

Part no. IZMX-CAS404-4000-SEC-1

Catalog No. 183968 Alternate Catalog 67C2762A51

No

EL-Nummer 4398377

(Norway)

Delivery program

		Accessories
		Withdrawable units
		Cassettes
		Equipment supplied: arcing chamber cover, terminal blocks fully populated
In	Α	4000
		4
		IZMX404W INX404W
		With control conductor terminals fully fitted.
		with arcing chamber cover
		Control circuit terminal
		Withdrawable
	I _n	I _n A

Design verification as per IEC/EN 61439

Technical data for design verification		
Operating ambient temperature min.	°C	-25
Operating ambient temperature max.	°C	70

Technical data ETIM 7.0

Low-voltage industrial components (EG000017) / Chassis part power circuit breaker (EC002043)

Electric engineering, automation, process control engineering / Low-voltage switch technology / Circuit breaker (LV < 1 kV) / Chassis part circuit breaker (ecl@ss10.0.1-27-37-04-22 [ACN955011])

[AGN900011])		
Rated current In	Α	4000
Number of poles		4
Version as busbar adapter		No
Version as built-in device		Yes
Type of electrical connection of main circuit		Rail connection

Dimensions

