Rittal – The System.

Faster – better – everywhere.





State: 06/07/2023 (Source mal.com/com-en)



CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES



SZ 4183.000 - Support bracket PS

For the attachment of punched sections without mounting flange 23 x 73 mm or punched rails $23 \times 23 \text{ mm}$.



Features

Model No.	SZ 4183.000	
Product description	For the attachment of punched sections without mounting flange 23 x 73 mm or punched rails 23 x 23 mm.	
Material	Die-cast zinc	
Supply includes	1 set = 1 support bracket, 2 countersunk screws, 2 serrated lock washers	
Installation options	On the vertical TS, VX SE enclosure section via snap-on nuts TS 8800.806 or adaptor rail for VX compatibility On the horizontal TS enclosure section On the horizontal VX SE enclosure section, bottom On the horizontal VX SE enclosure section, top in the depth On enclosures and rails with rectangular system punching 12.5 x 10.5 mm.	
To fit enclosure type	TS VX SE	
Packs of	24 pc(s).	
Weight/pack	2.088 kg	
Copper weight (kg per piece)	0	
Customs tariff number	73182900	
EAN	4028177093386	

Features

	50000605	
ETIM 7.0	EC002625	
ECLASS 8.0	27189234	
Approvals		

Approvals

GOST